



pflug.




*Driving gear and conveyor
technology
Profiled belts
Continuous round belts
turned and plaited*

PU tracking guides, cleats and guides




PU-V-ledged profiles



Type	4x4 mm	6x4 mm	8x5 mm	10x6 mm	13x6,5 mm	13x8 mm	17x7 mm	17x11 mm
60 Sh.A natural-coloured	---	X*	X*	X*	X*	X*	---	X*
75 Sh.A red, EU/FDA	X°	X*	X*	X*	X*	X*	---	X*
80 Sh.A transparent, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
80 Sh.A natural-coloured	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A ultramarineblue, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A white, EU/FDA	X°	X*	X*	X*	X*	X*	X°	X*
85 Sh.A green	X°	X*	X*	X*	X*	X*	X°	X*
90 Sh.A white	X°	X*	X*	X*	X ²	X*	---	X*
Notched	---	X ²	X ²	X ²	X ²	X ²	X ²	X ²
Package size	250 m	250 m	250 m	150 m	100 m	100 m	50/100 m	50/100 m

Further profiles can be manufactured by processing standard profiles such as 10x3 mm or 10x8 mm. The type 80 Sh.A natural-coloured was especially developed for tooth-belts to obtain the optimal adhesive strength between the V-shaped profile and the tooth-belt. Special colours on request.


PU-cleats



Type	T20	T30	T40	T50	T60
85 Sh.A ultramarine blue, EU/FDA	X ²	X ²	X ²	X ²	X ²
90 Sh.A, white, EU/FDA	X ²	X ²	X ²	X ²	X ²
90 Sh.A, blue green, EU/FDA	X ²	X ²	X ²	X ²	X ²
90 Sh.A, sky blue, EU/FDA	X ²	X ²	X ²	X ²	X ²
90 Sh.A. ultramarine blue, EU/FDA	X ²	X ²	X ²	X ²	X ²
Package size: 3 m bar	40 pcs. / 120 m	30 pcs. / 90 m	20 pcs. / 60 m	20 pcs. / 60 m	20 pcs. / 60 m

T-cleats as carrier on conveyor belts and timing belts.
Foot width: T20 = 8 mm / T30-T50 = 9 mm / T60 = 11 mm
Further hardness and colours on request.

PU-semicircle profiles



Type	R 2,5 mm	R 3 mm	R 3,5 mm	R 4 mm	R 5 mm	R 6 mm	R 7,5 mm
75 Sh.A red, EU/FDA	X°	X°	---	X°	X°	X°	X°
80 Sh.A transparent, EU/FDA	X°	X°	X°	X°	X°	X°	X°
80 Sh.A natural-coloured	X ²	X ²	---	X ²	X ²	X ²	X ²
85 Sh.A ultramarine blue, EU/FDA	X°	X°	---	X°	X°	X°	---
85 Sh.A, green	X°	X°	X°	X°	X°	X°	X°
90 Sh.A, white	X°	X°	---	X°	X°	X°	X°
Package size	200 m	100 m	100 m	100 m	100 m	50 m	50 m

PU-semicircle profiles as guide profile or tapped driver profile. Further types and dimensions on request.

PU-square profiles




Type	4x4 mm	5x5 mm	8x8 mm	9x9 mm	10x10 mm	12x12 mm	13x5 mm	15x8 mm
75 Sh.A red, EU/FDA	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
80 Sh.A transparent, EU/FDA	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
80 Sh.A natural-coloured	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
85 Sh.A sky blue, EU/FDA	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
85 Sh.A ultramarine blue, EU/FDA	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
90 Sh.A white, EU/FDA	X ²	X ²	X ²	X ²	X ²	X ²	X ²	X ²
Package size	250 m	200 m	100 m	100 m	50 m	50 m	100 m	50 m

Further types and dimensions on request.

- * from stock
- ° short term (1-2 days)
- ² short term (1-2 weeks)
- ³ delivery time on request

Company profile



Testing Service




**Welded timing belts
in short lengths**



**Round belts for
heat-setting machines**



Endless injected round belts



Endless turned round belts



Endless plaited round belts



Hooked belts




PU round- and profile belts



**PU profile belts and
special profiles**



**PU tracking guides, cleats
and guides**




Food line

Types for the food industry compliant to EU/FDA




PU cleats and block profiles



PU Poly-V belts



**PU-V-guide belts
compliant to EU/FDA**



PU coatings

